

### Cyclone Fiberglass Mesh



- Screening windows and doors in all areas

Part No.	Description	Length	Part No.	Description	Length
CY-529214	610 mm	50 m	CY-529542	1520MM	50 m
CY-529306	760 mm	50 m	CY-529573	1830MM	50 m
CY-529344	810 mm	50 m	CY-529580	2100MM	50 m
CY-529382	910 mm	50 m	CY-529597	2450MM	50 m
CY-529504	1220 mm	50 m			



### Cyclone Aluminum Mesh



- Screening windows and doors where extra strength is required.

Part No.	Description	Length
CY-500732	610 mm	30 m
CY-500329	760 mm	30 m
CY-500855	810 mm	30 m
CY-500886	910 mm	30 m
CY-500978	1220 mm	30 m
CY-500985	1520 mm	30 m



### Cyclone TuffScreen Mesh



- Screening windows and doors in tough & demanding conditions.

Part No.	Description	Length
CY-503542	910 mm	14 m
CY-503627	1220 mm	14 m



### Cyclone Pet Mesh



- Security doors and windows requiring very tough protection.

Part No.	Description	Length
CY-537936	910 mm	30 m
CY-537943	1220 mm	30 m





### Cyclone Duraview Mesh

- Screening windows, doors, vents.

Part No.	Description	Length
CY-540011	610 mm	30 m
CY-540042	910 mm	30 m
CY-540066	1220 mm	30 m
CY-540073	1520 mm	30 m
CY-540097	2100 mm	30 m



### Cyclone Stainless Steel Wire Mesh

- Screening windows, doors, vents, etc

Part No.	Description	Length
CY-505010	610 mm	30 m
CY-505027	760 mm	30 m
CY-505041	910 mm	30 m
CY-505058	1220 mm	30 m
CY-505072	1520 mm	30 m



### PVC Hollow Spline

Part No.	Description	Length
JPS-HS 4.0	Spline Hollow 4Mm	300 m
JPS-HS 5.0	Spline Hollow 5Mm	300 m
JPS-HS 5.3	Spline Hollow 5.3Mm	300 m
JPS-HS 5.7	Spline Hollow 5.7Mm	300 m
JPS-HS 6.0	Spline Hollow 6Mm	300 m



### Foam Spline

Part No.	Description	Length
JPS-FS4.0	Spline Foam 4Mm	500 m
JPS-FS4.8	Spline Foam 4.8Mm	500 m
JPS-FS5.0	Spline Foam 5Mm	500 m
JPS-FS5.3	Spline Foam 5.3Mm	500 m
JPS-FS5.7	Spline Foam 5.7Mm	450 m
JPS-FS6.0	Spline Foam 6Mm	450 m

### JPH Touch Up Paint

- For powder coating, roofs & gutters , doors and security doors.

Part No.	Description	Box Qty.
HO-TP200**	Touch Up Paint	12

Colour	Description	Colour	Description
	Anodic Bronze		Iron Bark
	Anotec Xt D/grey		Magnolia
	Apo Grey		Merino
	Arrowhead		Mist Green
	Barley		Mountain Blue
	Birch Grey		New Hammersley Brown
	Black Gloss		Notre Dame
	Black Matt		Off White
	Black Satin		Olde Pewter
	Bronze / Light		Oyster
	Bronze / Medium		Pearl White
	Caulfield Green		Pottery
	Charcoal		Primrose
	Claret		Rivergum
	Clear Anodised		Signal Red
	Doeskin		Slate Grey
	Federation Red		Smooth Cream
	Grey Nurse		Stone
	Hawthorn Green / Classic		Stone Beige
	Heritage Green		Stromboli
	Heritage Red Oxide		Transformer Grey
	Horizon Blue		Wizard
	Ivory Coast / Almond		White Birch



### JPH Super Etch Primer

- Super etch primer helps primers and top coats adhere to bare steel, galvanized steel and aluminium. Super etch primer is also suitable for painted surfaces.

Part No.	Description	Box Qty.
HO-TP300ET	Super Etch Primer	12



### Glass Cleaner

- Convenient spray can, Professional strength, Leave a clean sparkling surface.

Part No.	Description	Box Qty.
HO-GC 500G	Glass Cleaner	12



### Window Protection Film Blue

UV stable adhesive film for protection of windows and doors during construction. Protect 'n' peel has been used extensively to protect glass and glazing during construction. Suitable for both high-rise developments and domestic dwellings.

- Protects both glass and frames of windows and doors
- UV stable film provides up to 3 months protection.
- Removes cleanly
- Distinctive Blue colour
- Can Be Cut To Order

Part No.	Description	Length.
GT-8M500610100BU	Window Protection Film 610 mm	100 m
GT-8M501210100BU	Window Protection Film 1220 mm	100 m