

## PU Dow Corning Spacer Tape

•Dow Corning spacer tape for structural glazing. Open-cell polyurethane foam tape with double sided acrylic adhesive.  
Pre-approved and compatible with all important Dow Corning high performance silicones.

Part No.	Thickness	Width	Length
GT-8DC503	3.2mm	6-9-12	7.3 m
GT-8DC504	4.8mm	6-9-12	7.3 m
GT-8DC506	6.4mm	6-9-12	7.3 m
GT-8DC509	9.5mm	6-9-12	7.3 m
GT-8DC503	12.5mm	6-9-12	7.3 m



## PVC Tape ( Foam ) Single Sided

•PVC Closed Cell Single Sided Foam Tape - Soft, Medium and Hard Grades  
Colours available: Black and Grey

Various sealing, cushioning and vibration dampening applications. Medium - Hard grade suited for aluminium windows. Resists wear and abrasion. Insulates against temperature. "Swirl-Free" foam that won't move, twist or displace when penetrated by mechanical fasteners. Foam density permits clean die-cutting. (Not all thicknesses available for certain densities. Contact JP Hardware for further information) \* All Widths Available

Part No.	Description	Part No.	Description
•••	1.6 mm	•••	9.5mm
•••	3.2 mm	•••	12.7mm
•••	4.8 mm		19 mm
•••	6.4 mm		




## PVC Tape ( Foam ) Double Sided

•PVC Closed Cell Double Sided Foam Tape - Medium and Hard Grades  
Colour: Black

Medium suitable for low-rise glazing applications and Hard grade is an economical spacer tape alternative for structural glazing. Both come with superior solvent based acrylic adhesive for excellent adhesion to steel, glass, aluminium, painted metal and vinyl. \*Other Width Available on Request

Part No.	Description	Width	Part No.	Description	Width
•••	1.6 mm	9-12	•••	6.4mm	9-12
•••	3.2 mm	9-12	•••	9.5mm	9-12
•••	4.8 mm	9-12			



## Mirror Tape

•Double coated polyethylene foam tape designed for mirror mounting, sealing, gasketing. Comes with a high performance acrylic adhesive.

Part No.	Description	Length
GT-80616181633	1.6 mm x 18mm	33 m
GT-806081832165S	3.2 mm x 18mm	16.5 m



### Protection Tape



Part No.	Description	Length.
GT-8PVCPROT 24B	24mm Protection Tape - Black	90 m
GT-8PVCPROT 48B	48mm Protection Tape - Black	90 m
GT-8PVCPROT 72B	72mm Protection Tape - Black	90 m
GT-8PVCPROT 96B	96mm Protection Tape - Black	90 m

### Masking Tapes

General Purpose Masking Tape



Part No.	Description	Length
GT-8M1830018	18mm	50 m
GT-8M1830024	24mm	50 m
GT-8M1830048	48mm	50 m
GT-8M1830072	72mm	50 m

### Foil Tape

High performance foil tape designed for use as a vapor seal on aluminium faced insulation products.



Part No.	Description	Length
GT-81529L0048	48mm	50 m
GT-81529L0072	72mm	50 m

### Duct Tape



Part No.	Description	Length
GT-9DUCT004851	Joining/Sealing Duct Tape - Silver 48mm x 30m	30 m

## 3M VHB Tapes

### 3M VHB General Purpose - Clear

3M VHB Clear tape is ideal for transparent materials or wherever a clear bond is needed, effectively replacing screws, rivets, and studs when bonding materials; resulting in a permanent hold and clean appearance. This tape's clear construction is ideal for applications such as sealing skylights, glass, metals.

Thicknesses: -0.5mm, 1.1mm

### 3M VHB Cladding - Grey

3M VHB Grey tape is a conformable, double-sided, pressure-sensitive, closed-cell acrylic foam tape with a PE film liner. Bonds high and medium surface energy substrates.

Provides handling convenience, cushioning, damping, and impact resistance. Plasticizer resistant. Ideal for cladding panels, metals, polycarbonate.

Thicknesses:-1.1mm, 2.3mm



## Packing Tape

Bundling of products etc. Security doors, aluminium lengths.

Labelling on security doors. Does not leave sticky residue

Part No.	Description	Length.
WR-9PVC12YELLOW	12 mm PVC Packing Tape	66 m
WR-9PVC24YELLOW	24 mm PVC Packing Tape	66 m



## Green Glazing Protection Pads

Diecut from very hard UV resistant PVC foam.

Used in-between glass and/or aluminium for protection, leaves no residue.

Part No.	Description
GT-8G1024	Green Glazing Protection Pads

