

Braille

Scale 1:1

<p>Specification:</p> <p>Metrix Braille M10/6-14.5 on (thickness / substrate) with (colour and surface coating) with (mm) unperforated borders. Material tension levelled to industry standard.</p> <p>Supplied by Metrix Group P: 1300 792 493 E: sales@metrixgroup.com.au</p>		
Pattern Code	Hole Size	% Open Area
Braille M10/6-14.5	10/6mm	22


Braille

Scale 1:1

METRIX[®] DESIGNS

Specification:
Metrix Braille M19/10-25
on (thickness / substrate)
with (colour and surface coating)
with (mm) unperforated borders.
Material tension levelled to
industry standard.


Supplied by
Metrix Group
P: 1300 792 493
E: sales@metrixgroup.com.au



Pattern Code	Hole Size	% Open Area
Braille M19/10-25	19/10mm	26

Braille

Scale 1:1



Specification:
 Metrix Braille M30/15-35
 on (thickness / substrate)
 with (colour and surface coating)
 with (mm) unperforated borders.
 Material tension levelled to
 industry standard.

Supplied by
 Metrix Group
 P: 1300 792 493
 E: sales@metrixgroup.com.au

Pattern Code	Hole Size	% Open Area
Braille M30/15-35	30/15mm	30


Braille

Scale 1:1

METRIX[®] DESIGNS

Specification:
Metrix Braille M50/25-58
on (thickness / substrate)
with (colour and surface coating)
with (mm) unperforated borders.
Material tension levelled to
industry standard.

Supplied by
Metrix Group
P: 1300 792 493
E: sales@metrixgroup.com.au



Pattern Code	Hole Size	% Open Area
Braille M50/25-58	50/25mm	31